

# **ARTIST TECHNICAL RIDER**

## **TECHNICIANS**

PURCHASER shall provide at PURCHASER'S sole cost and expense the following for the "Live Show" engagement hereunder all to be professional and competent with equipment:

- One (1) Audio Technician
- One (1) Lighting Technician (Must have proficient knowledge of control board and programming)
- One (1) Video Technician
- One (1) Stage Manager with crew; consisting of (4) dedicated stage-hands for load in and load out.
- Two (2) selected stagehands assigned as prop hands for all scheduled shows

# **EQUIPMENT/STAGE PROPS & REQUIREMENTS**

PURCHASER shall provide the following:

- Black backdrop to be positioned at the furthest upstage location
- Four (4) 8' long tables to be used for contestant table, prize table, prop table, and autograph table.
- One (1) dedicated 8' long table at F.O.H. with unrestricted view of stage for PRODUCERS equipment.
- At least Two (2) house ushers
- Two (2) venue representatives to distribute prizes and/or vouchers after each segment of the show.
- Black Pipe & Drape to adequately cover all backstage equipment on stage right and left from stage edge to opposing walls.

#### LIGHTING

PURCHASER is responsible to provide and pay for the following:

# **Control Board:**

- DMX Controller 9 Channel or higher
- Programmer/Operator to follow PRODUCERS light cues (cues provided by HGGS Representative prior to show)

#### **Side Panel Arch Truss BACK Lighting Units:**

- (16) LED RGBW PARS 8 lamp units per side (4) on stage floor facing upwards, (4) mounted on truss arch top cross rail upstage side facing downwards)
- Elations ELAR 108 Par RGB (or) Elations DLED 64 Pro RGB (Elations LED 36 NOT Acceptable)
- RGB (LED) Quad Color (RGBW LED acceptable) (Tri Color minimum)
- Bulbs to be 3 watts or higher
- 9 Channel or greater
- Dimming Capability
- All LED DMX Programmable
- Reference HGGS Stage Plot

# **Side Panel Arch Truss Framed Lighting FRONT facing units:**

- (22) RGB LED Par Cans or (16) LED Bar Strips ((11) Pars on each Arch Truss or (8) LED Strips on each Arch Truss)
- LED Pars or LED Strip Lighting to be place on arch truss (See HGGS Side Panel Configuration)
- DMX Programmable
- Dimming Capabilities

# **Down Stage Lighting:**

- (16) PAR wash (incandescent) Source 4 w/barn doors preferred
- (8) Leko or JR Leko (4) stage right (4) stage left dedicated "Specials" (See Stage Plot)
- (6) PR XL 250 or 750 Mover Spots or "Sharpies" (See Stage Plot)
- (2) Audience Blinders (Moles) located on down stage truss
- (6) Martin Mac AURA RGB movers (or comparable) on down stage lip.
- (1) Hazer
- All wash lighting require fade capabilities.
- Down stage truss to be located 10' to 20' from stage front (if possible)
- Cross Lighting encouraged to minimize wash and bounce to projection screen

#### **House Lighting:**

- House lights shall be set to sufficiently illuminate entire audience.
- House lighting levels shall be set at the discretion of HGGS representatives.

#### **AUDIO**

PURCHASER is responsible to provide and pay for the following:

#### **Sound Equipment:**

- System overview all sound equipment shall be "Pro Line" (i.e. Yamaha, Soundcraft, Midas etc.) All microphones are to be low impedance (i.e. Shure, Sennheiser, Sony etc.)
- House sound system High-definition system consisting of composite full range speaker cabinets, 3-way or 4-way, with
  electronic crossovers and one third octave equalizers located at the house mixing console. System must have the ability to
  cover the entire audience +/- 5db with clean smooth frequency response. System to be capable of 106 db at 175 feet from
  stage.
- Provision shall be made for F.O.H. console to be located in the center of house.
- House console Should consist of adequate number of input channels (at least 8), w/ left-right panning, channel inserts, channel off switch, channel and output cues with a cue speaker or headphones for house engineer. Switchable monitor speaker to listen to all inputs and outputs.
- Stage monitors Two (2) bi-amped side fills and three (3) low profile self-powered floor monitors.
- Microphones Four (4) Wireless (i.e. SM-58 etc.), (1) wired Mic placed at F.O.H. for VOG.
- Stands Four (5) wireless microphone stands, (3) Sticks backstage and (2) Boom on stage).
- Standard adapters to complete system.
- Audio Cables Extensions (XLR 3 pin) for left/right HGGS Sound Board output to House input.

## **ELECTRICAL**

## **ELECTRICAL EQUIPMENT and CIRCUIT REQUIREMENTS**

PURCHASER is responsible to provide and pay for the following:

- (1) 110v 20 amp outlet **down stage** left and right corners
- (4) 110v 50ft extension cords w/ground
- (2) 110v 20 amp Quad box outlets at F.O.H. at HGGS Control Table

PURCHASER shall provide and ensure that a complete power (AC) distribution system with the adequate voltage and amperage to power a complete audio, video & lighting system. The lighting and audio system shall be on individual and separate circuits from each other and any other power use. Note: Any adjustments or alteration to the lighting or power requirements to fit venue are to be requested and approved in writing by PRODUCER.

## **VIDEO**

Purchaser is responsible to provide and pay for the following:

## **Video Equipment:**

- (1) HD DLP Digital or Laser Projector (20,000k Lumens or greater) with short throw wide lens
- (1) 21' x 11.5' Rear Projection Stage Screen (No Legs) or LED Wall (positioned center stage allowing a minimum preforming area of 15 feet from screen front to stage lip)
- SDI or CAT 5 Professional Grade Cable snaked from F.O.H. directly to Projector or LED Wall
- SDI or CAT 5 (with converters) professional grade cable snaked from F.O.H. directly to Projector.

#### **STAGING**

PURCHASER is responsible to provide and pay for the following:

- (4) Vertical 12" X 12" Box Truss 12' in length
- (2) Horizontal 12" X 12" Box Truss 8' in length
- (4) Box Truss 12" x 12" corner block sections
- (4) Aluminum 30" Truss Base Plates
- (2) Pipe & Drape telescoping poles 9' in length
- (100) White Zip-Ties
- (4) Sandbags (20lbs each)
- (1) Step Ladder (14' or higher)
- (2) Rolls of Gaffers Tape (1-Black, 1-White)

This Contract and/or Technical Rider may not be changed, modified, or altered without prior written approval by PRODUCER. All questions relating to this Contract and/or Technical Rider shall be addressed to the following representatives:

Should any questions arise please do not hesitate to contact the following:

# **Trace Eubanks**

Producer, Director Phone: 805-325-1513c

Email: eubanksproductions@gmail.com

"Hollywood's Greatest Game Shows"

PRODUCER:	PURCHASER:
Signed:	Signed:
Title:	Title:
Date:	Date: