

Thurtdelic Hospitality Rider 2026

- chicken wings
- fruit tray
- orange juice
- apple juice
- pineapple juice
- cranberry juice
- Tito's Vodka
- Hennessy
- a few bottles of water

Thurtdelic Technical Rider

Date: 2026

1. Input List (Patch Sheet)

Ch	Instrument	Mic/DI Preference	Stand
1	Kick Drum	Beta 52 / D6	Short Boom
2	Snare Top	SM57	Short Boom
3	Snare Bottom	SM57	Short Boom
4	Hi-Hat	Small Diaphragm Condenser	Small Boom
5	Rack Tom	e904 / Sennheiser Clip	Clip-on
6	Floor Tom	e904 / Sennheiser Clip	Clip-on
7	Overhead L	Large Diaphragm Condenser	Tall Boom
8	Overhead R	Large Diaphragm Condenser	Tall Boom
9	Bass DI	XLR Out (from Amp) or DI	N/A
10	Electric Guitar	SM57 / e906	Short Boom
11	Organ Leslie Top	SM57	Tall Boom
12	Organ Leslie Bottom	SM 57 / Beta 52	Short Boom
13	Keyboard	DI Box	N/A
14	Keyboard	DI Box	N/A
15	Keyboard	DI Box	N/A
16	Vocals 1 (Center)	SM58 / Beta 58	Tall Boom
17	Vocals 2 (Stage R)	SM58 / Beta 58	Tall Boom

2. Stage Plot (Visual Layout)



3. Monitoring Requirements

We request **4 independent monitor mixes** if possible.

- **Mix 1 (Guitar):** Lead Vocal, Organ, Snare.
- **Mix 2 (Keys):** Keys (self), Vocals (all), Kick.
- **Mix 3 (Drums):** Kick, Bass, Vocals, Organ.
- **Mix 4 (Bass):** Kick, Bass, Vocals, Organ.

4. Backline & Power

- **Power:** We require 4 grounded power drops: 1 for Drums, 1 for Bass/Guitar area, 1 for Organ/Keys, and 1 at the front for pedalboards.
- **Drums:** Rug/Mat required (minimum 6'x6').